

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46749	(verif\$9 certif\$9 valid\$6 look\$4 compar\$5) near4 (node\$2 workstation\$1 computer\$2 station \$2 device\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L2	584442	(node\$1 workstation\$1 computer\$2 system \$1 secur\$3 address \$2) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1 information\$1 location\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L3	157203	(administrat\$4 authentica\$3 authori\$7 certifi\$8 verif\$8 manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 node computer)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L4	97466	(receiv\$3 obtain\$3 send\$3 sent\$1) near3 L2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L5	15518	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L6	2588	L3 near3 L4	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L7	42140	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1 append\$3) near5 L2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L8	439587	(node\$1 workstation\$1 computer\$2 system \$1) near3 (id identit \$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L9	387283	(table\$1 list\$3 record\$1) near4 (id identi\$9 information \$1 data security name\$1 address \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L10	75242	(process security\$ address\$2 (channel \$1 near2 number \$1)) near3 (table \$1 list\$1 director \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L11	689	L6 and L10	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L12	19202	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1) near5 L8	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L13	2319	L12 near6 L3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L14	117811	(security\$ address \$2 system\$2 computer\$2 node \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L15	860	L13 and L14	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L16	15336	(send\$3 sent request\$3 ask\$3 inquir\$3) near4 (gateway ((administrat\$4 supernet manag\$7 security) near2 (machine\$1 system \$1 server\$1 infrastructure\$1 structure\$1)))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L17	46774	(security\$ address \$2 (channel\$1 near2 number\$1)) near3 (table\$1 list \$1 director\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L18	65	L5 and L16 and L8 and L12 and L17	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L19	81871	(packet\$5 datagram \$1) near5 (security \$ address\$2 (channel\$1 near2 number\$1) information\$1 data \$1 ip location\$1 destination\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L20	8951	L19 and L7	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L21	284	L20 and L6	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L22	153	L21 and L10	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L23	29247	L9 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L24	42573	(verif\$9 certif\$9 valid\$6 look\$4 table \$1) near4 (node\$2 workstation\$1 computer\$2 station \$2 device\$1 component\$2 client \$2) near6 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L25	32407	L24 and L9	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L26	3361	L1 near6 (server\$1 administrat\$4 manag\$6)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L27	1368	L23 and L26	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L28	1175	L27 and L25	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L29	429	caronni	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L30	40	L28 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L31	36	caronni near germano	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L32	12150	virtual near3 address\$3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L33	16	L32 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L34	380	L32 near9 (manag \$6 near4 (machine \$1 node\$1 system \$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L35	316	L34 and request\$4	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L36	122	L35 and table near4 process\$3	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L37	1415	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near8 (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L38	25237	(id identifier\$1 identificaiton\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L39	1173	L37 and L38	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L40	159	L39 and (administrat\$4 near3 (machine\$1 system \$1 device \$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L41	52	Kumar near3 sandeep	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L42	56	gupta near3 amit	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L43	14	markson near3 tom	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L44	51	schuba near3 christoph	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L45	95	scott near3 glenn	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L46	13	(L41 L42 L43 L44) and socket\$1	USPAT; IBM_TDB	OR	ON	2009/08/29 10:35
L47	44628	(id identifier\$1 identificaiton\$1 identit\$3 name\$1 (serial near2 number\$1)) near4 (process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L48	7871	L47 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L49	1198	L48 and L37	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L50	115	L49 and socket\$1	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L51	225	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L52	150	(append\$4 attach \$4) near5 (securit \$3 secure\$7 encrypt\$8 encipher \$9 encod\$3 private \$1 secret\$1) near6 (context\$1 information\$1 data \$1 algorithm\$1 key) near4 (process \$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L53	0	L50 and L52	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L54	42	L47 and L52	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L55	3	L54 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L56	612733	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 information\$1 address\$2 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L57	451526	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near3 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L58	21231	L57 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L59	141	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near6 (execut\$4 run\$4 launch\$3) near5 (memory\$2 storage \$2 rom eeprom eprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L60	32	L58 and L59	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L61	60	(process\$2) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 number \$1) near6 (execut \$4 run\$4 launch \$3) near5 (memory \$2 storage\$2 rom eeprom eprom nvram ram)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L62	3284	(node\$1 workstation\$1 computer\$2 system \$1 device\$1) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 address\$2 number\$1) near5 (associat\$4 correspond\$3 accord\$5 relat\$3) near5 process\$2	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L63	21	L61 and L62	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35

L64	192652	(table\$1 list\$3 acl director\$3) near5 (id identit\$3 identifier\$1 identification\$1 name\$1 number \$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L65	10	L63 and L64	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L66	39	L62 and L59	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L67	15	L66 and L64	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L68	6295	(channel\$1 link\$1 path\$1) near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L69	3271	(channel\$1) near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L70	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord \$4 associat\$4 match\$3) near5 (process\$2)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:35
L71	502	(channel\$1) near9 (virtual\$2 near3 link \$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 10:36
L84	0	71 near9 (administrati\$4 near4 (machine\$1 node\$1 system\$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:01
L85	37	71 and (administrati\$4 near4 (machine \$1 node\$1 system \$1 server\$1))	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:01
L86	6	85 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02
L87	0	86 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02
L88	69	71 and (table near4 process\$3)	USPAT; IBM_TDB	OR	OFF	2009/08/29 11:02

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L72	1636	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	UPAD	OR	OFF	2009/08/29 10:36
L73	430337	(table\$1 list\$3 record \$1) near4 (id identi \$9 information\$1 data security name \$1 address\$1)	USPAT; UPAD	OR	OFF	2009/08/29 10:37
L74	6	(channel\$1) near5 belong\$3 near5 (particular\$2 accord \$4 associat\$4 match \$3) near5 (process \$2)	USPAT; UPAD	OR	OFF	2009/08/29 10:38
L75	3748	(channel\$1) near5 (belong\$3 particular \$2 accord\$4 associat \$4 match\$3) near5 (process\$2)	USPAT; UPAD	OR	OFF	2009/08/29 10:38
L76	0	72 and 73 and 74 and 75	USPAT; UPAD	OR	OFF	2009/08/29 10:53
L77	3	72 and 73 and 75	USPAT; UPAD	OR	OFF	2009/08/29 10:54
L79	3	(node\$1 and process \$2 and packet\$1 and associat\$4 and identification\$1 and administrative and table).clm.	US-PGPUB	OR	OFF	2009/08/29 10:56

L81	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and administrative and virtual and address).clm.	US-PGPUB	OR	OFF	2009/08/29 10:57
L83	0	(node\$1 and process \$2 and packet\$1 and associat\$4 and security and virtual and sockt and address).clm.	US-PGPUB	OR	OFF	2009/08/29 10:57

8/ 29/ 09 11:03:21 AM**C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 09457914.wsp**